Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6862661" "6272590").pn.	USPAT	OR	OFF	2005/06/07 10:27
S3	9	("5151899" "6151696" "6011796" "5577211" "6185623" "5872777" "5993056" "6145109" "5648970").pn.	USPAT	OR	OFF	2005/06/15 15:56
S4	39	("4644468" | "4958278" | "5142680" | "5146568" | "5230052" | "5345558" | "5361256" | "5390170" | "5400325" | "5426637" | "5454078" | "5463735" | "5515072" | "5519707" | "5539745" | "5553083" | "5577210" | "5608726" | "5612959" | "5634011" | "5638377" | "5727002" | "5752003" | "5793758" | "5818838" | "5819042" | "5822523" | "5822582" | "5838907" | "5842011" | "5870554" | "5872968" | "5875306" | "5884074" | "5887164" | "5918016" | "5960175" | "5974547" | "6009474").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/07 10:42
S5	3	("6185623").URPN.	USPAT	OR	OFF	2005/06/07 10:46
S6	6	("4439859" | "4617657" | "5151899" | "5291483" | "5337313" | "5784362").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/07 10:47
S7	14	("4439859" | "4564937" | "4611280" | "4617657" | "4631673" | "4646235" | "4679139" | "4680705" | "4799215" | "4803651" | "4918687" | "4964119" | "5007052" | "5056085").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/07 11:03
S8	107	(array space storage memory register) same ((sequenc$4 transfer transmission)adj2 (value number identifier)) same (packets daagram block fragment UDP)same (incom$4 receiv$4 arriv$4) same (missing missed lost) and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:10
S9	1269	370/394 and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:11

Handwritten annotations: "Abstract, Images" (next to S4), "Abstract, image" (next to S8)

S10	722	S9 and (array storage register WITH sequence adj2 number$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:12
S11	722	S10 and (array storage register adj2 size length field$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:14
S12	711	S10 and (array storage register WITH compress$4 ANDED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:38
S13	644	S12 and (group combin$3 with sequence packet$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:17
S14	487	S13 and (large siz$3 with packet$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:18
S15	114	S14 and (track$3 with receiv$4 arriv$4 SAME (lost missing losted missed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:37
S16	4	("6134237").URPN.	USPAT	OR	OFF	2005/06/07 12:51
S17	7	("6128283").URPN.	USPAT	OR	OFF	2005/06/07 13:00
S18	554853	(track$3 record WITH array$1 table$1 set) with (packet$1 WITH sequenc$3 order number) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:13
S19	4363269	(determin$3 calculat$3 obtain$2 with array table set with size length)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:14
S20	456081	S18 and S19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:15

Abstract, image

S21	3887645	(group combine with spaces entries entry input with array$1 table$1 set) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:17
S22	1353365	(compress$3 with spaces entries entry input with array$1 table$1) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:18
S23	19659	(packet$1 WITH lost$2 miss$2 re-transmit$4 retransmit$4) and (S18 and S19 and S22)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:20
S24	217	S23 and (370/394) _Abstrad + images_	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:37
S25	38510	(tracking track adj3 array$1 table$1) and (packet$1) and (sequence order$3) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/17 06:34
S26	575	S25 and (370/394)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 14:33
S27	13	S26 and (hole$1) _Abstract + images_	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 14:40
S28	5168	(track$3 with miss$4 lost$2 adj2 packet$1) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 14:41
S29	2864	S28 and (array$1 list$1 table$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 14:41
S30	781	S29 and (compress$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 14:42
S31	77	(TFTP adj server$1 "trivial file transfer protocol" adj server$1) and (track$3 adj2 array table$1 database$1) and (@ad<"20010711")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:20 _Abstract + images_

Abstract + images

S32	3	(array WITH (maximum large$3 limit$1 adj2 space)) and ((track$3 adj3 packet$1) and (packet$1 adj2 (sequence$1 adj2 number$1 id)) and (@ad<"20010711"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:36
S33	1	(array WITH (maximum large$3 limit$1 adj2 space)) and ((track$3 adj3 packet$1) and (compress compression adj2 (array NEAR space$1)) and (@ad<"20010711"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:40
S34	208366	(compress compression adj2 (array NEAR space$1)) and (@ad<"20010711")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:40
S35	1619962	(determine calculate with (maximum limit size adj2 array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:41
S36	26746	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:41
S37	1	S31 and S36 _Abstract + images_	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:44
S38	2847589	(compress compression adj2 array space$1) and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:45
S39	23	S31 and S38 _Abstract + images_	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:34

S40	1809	(miss$4 lost) adj1 packet$1 and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 15:58
S42	70994	(sequence max$5 packet) adj1 number and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 15:59
S43	1840208	S40 near$30 S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 16:01
S44	1512	(miss$4 lost) adj1 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 06:55
S45	99290	(sequence max$5 packet) adj1 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 06:56
S46	799	S44 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 06:56
S47	113	S46 and (709/202 709/224 709/230 370/394) and (@ad<"20011107") *Abstract+images*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:40
S48	49	S46 and (709/203 709/217 709/218 709/219) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:52
S49	1980	(checksum max$5 capacity) near array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:53
S50	260	(compress adj2 packet) *Abstract + image*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:53

S51	320	(compress adj2 packet$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:53
S52	2267922	(group combine adj2 packet$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:53
S53	0	S52 and S49 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:54
S54	99	S52 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:54
S55	62	S54 and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:59
S56	4	("6862661" "6272590").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:00
S58	3194	(709/249 709/250) and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:39
S59	4734913	(array near track$3 space$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:36
S60	2936053	(array NEAR4 space$1 capacity max maximum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:37

Abstract + images

S61	6241090	(packet adj2 sequence id number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:37
S62	2929828	(packet adj2 lost$2 miss$3 hole$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:38
S63	567	(track$3 adj1 array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:38
S64	324	S60 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:39
S65	1215038	S60 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:41
S66	324	S65 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:41
S67	0	S58 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:42
S68	18696	S58 adn (track$3 adj3 packet$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:42

S69	43	S58 and (track$3 adj3 packet$1) *Abstract + images*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:46
S70	847	S58 and (array near5 hole$1 miss$3 lost$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:47
S71	22	S70 and (array adj3 (compression compress adj3 space capacity entry entries)) *Abstract + images*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:05
S72	480462	(370/351 "353" "354" "355" "356") and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:07
S73	167292	S72 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:07
S74	51170	S73 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:08
S75	40495	S61 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:08
S76	1	S71 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:10

Abstract + image

S77	1493	370/463 and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:11
S78	1363	S61 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	. OFF	2005/06/16 17:11
S79	53	S78 and S70 ~~Abstract +images~~	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:11
S80	34623	(tracking track adj3 vector bitmap) and (packet$1 frame$1) and (sequence order$3) and .. (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/17 06:35
S81	8119	S80 and (track$3 with receiv$4 arriv$4 SAME (lost missing losted missed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:37
S82	5638	S81 and (array storage register WITH compress$4 ANDED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:39
S83	1512	(miss$4 lost) adj1 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:40
S84	99290	(sequence max$5 packet) adj1 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:40
S85	799	S83 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:40

| S86 | 113 | S85 and (709/202 709/224 709/230 370/394) and (@ad<"20011107") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/17 06:40 |
| S87 | 10 | S86 and S82 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/17 06:40 |

Abstract + images